

Writing a lab report or academic article with tau L^AT_EX class

Author One^{a,1}, Author Two^{b,2} and Author Three^{b,c,3}

^aAffiliation of author one

^bAffiliation of author two

^cAffiliation of author three

Professor/Authority or other information

Abstract—Welcome to tau (τ) L^AT_EX class designed especially for your lab reports or academic articles. In this example template, we will guide you through the process of using and customizing this class to your needs. For more information of this class check out the appendix section. There, you will find codes that define key aspects of the template, allowing you to explore and modify them.

Keywords—L^AT_EX class, lab report, academic article, tau class

Contents

1	Introduction	1
2	Title	1
3	Abstract	1
4	Document style options	1
4.1	Tau start	1
4.2	Line numbering	1
4.3	Table of contents	1
5	Figures and tables	1
5.1	Figures	1
5.2	Tables	2
6	Tau packages	2
6.1	Tauenvs	2
6.2	Taubabel	2
7	Equation	2
8	Adding codes	2
9	References	3
10	Appendix	3
10.1	Alternative title	3
10.2	Info environment	3
10.3	Equation skip value	3
10.4	References	3
11	Contact me	3
	References	3

1. Introduction

Welcome to *tau class* for preparing your lab reports or academic articles. Throughout this guide, we will show you how to use this template and how to make modifications to this class.

This class includes the following files placed in the ‘tau-class’ folder: tau.cls, tauenvs.sty, taubabel.sty and README.md. Also the main.tex and some examples.

2. Title

The `\maketitle` command generates the title and author information section, including the professor name and affiliations. The title can be modified in tau-class/tau.cls/title style section.

By default, *tau class* shows the title on the left. However, you can change `\raggedright` to `\centering` in `\titlepos` to move the title to the center or, modify it to your own preferences.

In addition to the `\title` command, a new command named `\journalname` has been added to include more information.

If you do not need this command, you can undefine it and the content will be adjusted automatically.

3. Abstract

The abstract and keywords are defined using the `\keywords` and `\begin{abstract}\end{abstract}` commands respectively. For the abstract to appear, make sure the `\tauabstract` command is always included after the beginning of the document.

If the keywords are not declared in the preamble, the content will be adjusted automatically.

4. Document style options

4.1. Tau start

We included the `\taustart{}` command, which provides a personalized letrine for the beginning of a paragraph.

4.2. Line numbering

By implementing the *lineno* package, the line numbering of the document can be placed with the command `\linenumbers`.

I recommend placing the command after the abstract and table of contents for a better appearance.

4.3. Table of contents

The *tau class* provides a customised design for the table of contents. Each level of the ToC provides a preview of the content and its location in the document.

5. Figures and tables

5.1. Figures

Fig. 1 shows an example figure.






Figure 1. Example figure obtained from PGFPlots [1].

Fig. 2 shows an example of two figures that covers the width of the page. It can be placed at the top or bottom of the page. The space between the figures can also be changed using the `\hspace{Xpt}` command.



(a) Example left figure.



(b) Example right figure.

Figure 2. Example figure that covers the width of the page obtained from PGFPlots [1].

5.2. Tables

Table 1 shows an example table. The `\tabletext{}` is used to add notes to tables easily.

Table 1. Small example table.

Column 1	Column 2
Data 1	Data 2
Data 3	Data 4

Note: I'm a table text for additional information.

6. Tau packages

6.1. Tauenvs

This template has its own environment package `tauenvs.sty` designed to enhance the presentation of the document. Among these custom environments are `tauenv`, `info` and `note`.

There are two environments which have a predefined title. These can be included by the command `\begin{note}` and `\begin{info}`. All the environments have the same style.

An example using the tau environment is shown below.

Environment with custom title

This is an example of the custom title environment. To add a title type `[frametitle=Your title]` next to the beginning of the environment (as shown in this example).

Tauenv is the only environment that you can customize its title. On the other hand, `info` and `note` adapt their title to spanish automatically when this language package is defined.

6.2. Taubabel

In this new version, we have included a package called `taubabel`, which have all the commands that automatically translate from english to spanish when this language package is defined.

By default, tau displays its content in english, however, within this package you can change the language to spanish. To do so, set `true` to `\setboolean{es-babel}{true/false}` located in `taubabel.sty`.

You can modify this package if you need another language. This will make it easier to translate the document without having to modify the class document.

7. Equation

Equation 1, shows the Schrödinger equation as an example.

$$\frac{\hbar^2}{2m} \nabla^2 \Psi + V(\mathbf{r})\Psi = -i\hbar \frac{\partial \Psi}{\partial t} \quad (1)$$

The `amssymb` package was not necessary to include, because `stix2` font incorporates mathematical symbols for writing quality equations. In case you choose another font, uncomment this package in `tau-class/tau.cls/math` packages.

If you want to change the values that adjust the spacing above and below the equations, play with `\setlength{\eqskip}{8pt}` value until the preferred spacing is set.

8. Adding codes

This class¹ includes the `listings` package, which offers customized features for adding codes in L^AT_EX documents specifically for C, C++, L^AT_EX and Matlab.

You can customize the format in `tau-class/tau.cls/listings` style.

```

1 function fibonacci_sequence(num_terms)
2     % Initialize the first two terms of the
   sequence
3     fib_sequence = [0, 1];
4
5     if num_terms < 1
6         disp('Number of terms should be greater
   than or equal to 1.');
```

Code 1. Example of Matlab code.

¹Hello there! I am a footnote :)

If line numbering is enabled, we recommend placing the command `\nolinenumbers` at the beginning and `\linenumbers` at the end of the code.

This will temporarily remove line numbering and the code will look better as shown in this example.

9. References

The default formatting for references follows the IEEE style. You can modify the style of your references, for that, go to `tau-class/tau.cls/biblatex`. See appendix for more information.

10. Appendix

10.1. Alternative title

You can make the following modification in `tau-class/tau.cls/title` preferences section to change the position of the title.

```
\newcommand{\titlepos}{\centering}
```

Code 2. Alternative title.

This will move the title to the center.

10.2. Info environment

An example of the `info` environment declared in the ‘`tauenvs.sty`’ package is shown below. Remember that *info* and *note* are the only packages that translate their title (english or spanish).

Information

Small example of info environment.

10.3. Equation skip value

With the `\eqskip` command you can change the spacing for equations. The default *eqskip* value is 8pt.

```
\newlength{\eqskip}\setlength{\eqskip}{8pt}
\expandafter\def\expandafter\normalsize\
  expandafter{%
  \normalsize%
  \setlength\abovedisplayskip{\eqskip}%
  \setlength\belowdisplayskip{\eqskip}%
  \setlength\abovedisplayshortskip{\eqskip-\
  baselineskip}%
  \setlength\belowdisplayshortskip{\eqskip}%
}
```

Code 3. Equation skip code.

10.4. References

In case you require another reference style, you can go to `tau-class/tau.cls/biblatex` and modify the following.


```
\RequirePackage[
  backend=biber,
  style=ieee,
  sorting=ynt
]{biblatex}
```

Code 4. References style.

By default, *tau class* has its own `.bib` for this example, if you want to name your own bib file, change the `bibresource`.

```
\addbibresource{tau.bib}
```

11. Contact me

Enjoy writing with tau \LaTeX class 

Wix <https://memonotess1.wixsite.com/memonotess>

✉ memo.notess1@gmail.com

📷 memo.notess

Did you like this class document? Check out our new project the *rho class*, made for complex articles and reports.

References

[1] *PGFPlots - A LaTeX package to create plots*. [Online]. Available: <https://pgfplots.sourceforge.net/>.