

# A method for retroisotonal blabalys of a parallel stream of volatile aromas in the semi-quasi-space

*Anonymous*

## ABSTRACT

The abstract should summarise the contents of the paper in at least 70 and at most 150 words. The present paper has no scientific relevance and should be used as a practical example of text formatting for the Journal of Language Modelling.

*Keywords:*  
*blabalys,*  
*volatile aromas*

## UNICODE INPUT FILES IN THE 21 CENTURY

1

This is an example article for JLM. You can use arbitrary Unicode characters in your file, provided they are present in the font:  $\alpha\beta\gamma\delta\rho\pi$ , «Какво е това?», naïve, crème brûlée,  $\text{p}\text{f}\text{e}\text{r}\text{j}\text{u}\text{r}'\text{k}\text{o}\text{f}\text{s}\text{k}'\text{i}$ ,  $\blacktriangleright\rightarrow\frac{1}{3}\leftarrow\frac{2}{3}\Rightarrow\frac{2}{5}$ ,  $\alpha\beta\gamma\delta\rho\pi$ , «Какво е това?», naïve, crème brûlée.

Please note, that the traditional TeX notation for dashes and double quotes has to be activated with the TeXligns option, if desired. Without it those characters are rendered as follows:

e-f g-h ``a" "b" "b" `c' 'd'

e-f g-h ``a" "b" "b" `c' 'd'

e--f g-h ``a'' "b" "b" `c' 'd'.






Figure 1:  
An example of an included figure

house	☉	$\alpha_{\text{Cent}}$	$M_{31}$	$\approx$	$\times$	♁
1	0.43	102	12.4	4	2	1asp
3	0.45	412	32.6	14	7	4kid
7	0.16	111	92.1	3	9	2mer
12	0.49	224	25.5	1	1	4asp

Table 1:  
Values of some aspects

Tables

3.2

Over-wide tables have to be reduced to the page width. You can reduce the inter-column distances in such tables (the `\tabcolsep` parameter), rotate the table and place it as a full-page float, or use a `\small` font (if there is no other possibility).

Elements like Section 3.1, Figure 1, Table 1, and Equation (2) can be referenced symbolically if you provide respective labels (see the source code for this document).

For math you can use all constructs provided by the `amsmath`

package, e.g.:

$$(1) \quad a = c + d,$$

$$(2) \quad e = f - d,$$

$$g = \sum_{\substack{0 \leq i \leq m \\ 0 < j < n}} P_{\infty}(i, j) \times ,$$

$$(3) \quad h = (\alpha - \beta) \cdot \left[ \sum_i a_i \left| \sum_j x_{ij} \right|^p \right]^{1/p}.$$

## 4

## THE REVIEWING PROCESS

The journal uses a double-blind reviewing process. Your article should be made anonymous before sending to the reviewers. When submitting your paper please use the [anonymous] option of the document class (see the header of this example), which will remove the names and affiliations of the authors from the title page. Please note, however, that you may have other identifying elements in your text (especially in references), which you should adapt accordingly.

When the article is accepted these changes should be reverted. The final version should contain a complete list of authors and their affiliations.

## REFERENCES

Elizjusz BLARBARUCKI (1916), On some aspects of some aspects, *Astrolog Polski*, 16:13–36.

Robert BLARBARUCKI (2006), *The implementation of a differential blabalyser*, Master's thesis, Faculty of Computer Science, Warsaw University, <https://www.mimuw.edu.pl/~kdr/rblarba-pl.pdf>.

Filigran FIFAK (2001), On  $\sigma$ - $\rho$  aromas in blabalystics, *Acta Fetorica*, 12(2):227–234.

Filigran FIFAK and Gizbert GRYZOGRZECHOTALSKI (2000), On blabal fetoria, in *Proceedings of Euroblabal 2000*, pp. 124–132.

This work is licensed under the *Creative Commons Attribution 4.0 Public License*.  
©  <http://creativecommons.org/licenses/by/4.0/>